



Certificate of Compliance

Certificate: 1487584

Master Contract: 162920

Project: 2385979


Date Issued: February 21, 2011

Issued to: WMH Tool Group
427 Sanford Road
La Vergne, TN 37086
USA

Attention: Mr. Barry Schwaiger

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only



Issued by: 
Jupiter Huang
Certifier

PRODUCTS

CLASS 3881 03 - TOOLS - Bench

CLASS 3881 83 - TOOLS - Stationary and Fixed Electric Tools - Certified to US Standards

Drill Press, cord-connected, grounded, rated 115/230 V, 12/6 A, 60 Hz, 1 hp, 400 – 5000 rpm. Pre-wired for 115 V.

Part A : Models A5816 and J-A5816

Part B : Model A5836

APPLICABLE REQUIREMENTS

CSA C22.2 No 71.2-10 - Electric Bench Tools

UL 987, Seventh Edition - Stationary and Fixed Electric Tools

Class Description

Class Number

3881-03

Description

TOOLS-Bench

COVERAGE:

Grounded and double insulated cord-connected and permanently connected bench type tools such as planer/jointers, table saws, radial arm saws.

REQUIREMENTS:

CSA Standard C22.2 No 0	General Requirements - Canadian Electrical Code, Part II
CSA Standard C22.2 No 71.2M	Electric Bench Tools

The certified equipment appearing in this classification is judged to comply with the applicable requirements of the NFPA National Electrical Code (NEC).

MARKING:

- submittor's identification;
- model designation or equivalent;
- complete electrical rating;
- double insulation symbol (where applicable);
- date code or equivalent;
- additional markings as may be required;
- CSA Monogram.

In addition, equipment intended for display, sale or use in the USA, is required to include other information such as warning statements, installation instructions, etc., as may be specified in the NEC.

Certification Record

Customer	Class	File Number
JPW Industries Inc. 427 New Sanford Rd, LaVergne TN 37086 USA	3881-03 TOOLS-Bench	108026_0_000

- Wood Shaper, Model JWS-18HO, cord-connected, grounded, 115/230 V ac, 60 Hz, (NRTL/C status).
- Wood Lathe, cord-connected, grounded, Model JWL-1236, rated 120 V, 60 Hz, 8.0 A, 3000 RPM.
- 10 Inch Table Saw, Models JWTS-10, JWTS-10JF, JWTS-10CW2, 91010 cord-connected, grounded, 115/230 V ac, 60 Hz, 4000 RPM. Pre-wired to 115 V.
- 6 Inch Jointer, floor mounted, cord-connected, grounded, Model JJ-6CSX, 91012 rated 115/230 V, 60 Hz, 11/5.5 A, 4800 RPM or rated 115/230 V, 60 Hz, 13/6.5 A, 1 hp, 4800 RPM (prewired at 115 V).
- 13 Inch Auto Planer/Molder, cord-connected, grounded, floor mounted, Model JPM-13, 120 V ac, 60 Hz, 15 A or 240 V ac, 60 Hz, 7.5 A.
- 14 Inch Band Saw, cord-connected, grounded, floor mounted, Models JWBS-14CS and JWBS-14OS, 115 V ac, 60 Hz, 10 A or 240 V ac, 60 Hz, 5 A.
- 6 inch Jointer, floor mounted, cord-connected, grounded, Model JJ-60S, rated 115 V, 60 Hz, 9 A or 230 V, 4.5 A, 5200 RPM or rated 115/230 V, 60 Hz, 13/6.5 A, 1 hp, 4800 RPM.
- Wood Lathe, cord-connected, grounded, Models JML-1014 and JML-1014B, JML-1014I, rated 120 V, 60 Hz, 5 A.
- 10 inch table saw, cord-connected, grounded, floor mounted, Model JSL-10TS, JTS-10DD, rated 115 V, 60 Hz, 15 A, 3475 rpm.
- Band Saw, cord-connected, grounded, bench top, Model JSL-12BS, JWBS-12OS, rated 120 V, 60 Hz, 8 A, 1/2 hp.
- Belt/Disc Sander, cord-connected, grounded Model 8201d, Model JSG-6DC, rated 115/230

V, 60 Hz, 12.8/6.2 A, 1-1/2 hp, pre-wired for 115 V.

- 10 inch table saws, cord-connected, grounded, Models JTAS-10X-1, JTAS-10XL-1, rated 230 V, 60 Hz, single phase, 3 hp 11.7 A, 4200 rpm, Models JTAS-10X-5/1, JTAS-10XL-5/1, rated 230 V, 60 Hz, single phase, 5 hp, 15.2 A, 4200 rpm; permanently connected, Models JTAS-10X-3, JTAS-10XL-3, rated 230 V, 60 Hz, 3 ph, 5 hp, 12.3 A, 4200 rpm or 460 V, 60 Hz, 3 ph, 5 hp, 6.6 A, 4200 rpm. Pre-wired at 230 V.
- Drum sander, cord-connected, grounded, floor type, Model PERFORMAX 16-32 PLUS, rated 120 V, 60 Hz, 14.5 A, 1800 rpm.
- Metal lathe, grounded, cord-connected, Model BD920W, rated 115 V, 60 Hz, 8.5 A or 230 V, 60 Hz, 4.25 A, 3/4 hp, 130-2000 r.p.m. Pre-wired to 115 V.
- Hollow Chisel Mortiser, cord-connected, grounded, Model 701, rated 115 V, 60 Hz, 7.8 A or 230 V, 60 Hz, 3.9 A, 3/4 hp, 1725 rpm. Pre-wired to 115 V.
- 10 inch table saw, cord-connected, grounded, Models JPS-10TS and 91009, rated 115/230 V, 60 Hz, 15/7.5 A, 1-3/4 hp, 3600 rpm. Pre-wired for 115 V.
- Band saw, grounded, cord-connected, Model PWBS14, 1/8"-3/4" blade, rated 115/230 V, 60 Hz, 13/6.5 A, with one 40 W/A max. light (for 115 V). Pre-wired for 115 V.
- Drum Sander, permanently connected, 230 V, 60 Hz, 23.7 A, 1700 rpm.
- Belt and disc sander, grounded, cord-connected, single phase, Model 31 A-1, rated 115 V, 60 Hz, 14 A or 230 V, 60 Hz, 7 A, 1.5 hp.
- Metal band saw, cord-connected, grounded, floor mounted, Model D9040-1, 1/8 - 1 inch blade, rated 115 V, 60 Hz, 15 A or 230 V, 60 Hz, 7.5 A, 1 hp, with a 115 V, 40W/A, work light.

IN COMPLIANCE WITH CSA STANDARD C22.2 NO 71.2-08.

- Band Saw, cord connected, grounded, Models JWBS-100S, RBS250D
- Drill Press, cord connected, grounded, Model JDP12, RDM1603BVC
- Hollow Chisel Mortiser, cord-connected, grounded, Models 719T and JFM-5, rated 115 V, 60 Hz, 11 A or 230 V, 60 Hz, 5.5 A, 1hp, 1725 rpm.
- Jointer planer combo, grounded, cord connected, models JJP-8BT, JJP-10BTOS, rated 120V, 60Hz, 13A, 9000 rpm.
- 9 inch cold saws, cord-connected, grounded, Models F225, J-F225, rated 115 V, 60 Hz, 1 Hp,

9.1 A, 60 rpm.

- 8 inch jointers, grounded, cord-connected or permanently connected, Models PJ-882-1, PJ-882HH-1, 60C-1 and 60HH-1, rated 230 V, 60 Hz, 7.7 A, 2 hp, 7000 rpm.
- Band saw, grounded, cord-connected, Model JWBS-14DXPRO, 1/8"-3/4" blade, rated 115 V, 60 Hz, 12 A or 230 v, 60 Hz, 6 A.
- Drill press, cord connected, grounded, Models DP4300J, JDP-14MF, JDP-17DX, JDP-17MF, 91014,2800.

IN COMPLIANCE WITH CSA STANDARD C22.2 NO 71.2-10.

- Metal/wood cutting band saw, grounded, cord-connected, Models 8201, J-8201, 8201VS, J-8201VS, rated 115 V, 60 Hz, 10 A or 230 V, 60 Hz, 5 A. Pre-wired to 115 V.
- Drill Press, cord-connected, grounded, Models A5816, J-A5816 and A5836, rated 115/230 V, 12/6 A, 60 Hz, 1 hp, 400 - 5000 rpm. Pre-wired for 115 V.
- Metal/wood Belt and Disc sander, cord-connected, grounded, Models 4200A, 4200A-2, J-4200A, J-4200A-2, rated 115 V, 60 Hz, 12.6 A or 230 V, 60 Hz, 6.3 A, 1.5 hp.
- Metal/wood Belt sander, cord-connected, grounded, Models 4300A, J-4300A, rated 115 V, 60 Hz, 12.6 A or 230 V, 60 Hz, 6.3 A, 1.5 hp.
- Metal/wood Disc sander, cord-connected, grounded, Models 4400A, J-4400A, rated 115 V, 60 Hz, 12.6 A or 230 V, 60 Hz, 6.3 A, 1.5 hp.
- Metal/wood Belt sander and Metal Edge Mill, cord-connected, grounded, Models 4500, J-4500, rated 115 V, 60 Hz, 12.6 A or 230 V, 60 Hz, 6.3 A, 1.5 hp.
- Metal Edge Mill, cord-connected, grounded, Models 4505, J-4505, rated 115 V, 60 Hz, 12.6 A or 230 V, 60 Hz, 6.3 A, 1.5 hp.
- 10 inch table saw, grounded, permanently connected, Model PM2000-1, rated 230 V, 60 Hz, 13A, 4300 rpm 3 hp, Model PM2000-5/1, rated 230 V, 60 Hz, 20 A, 4300 rpm, 5 hp.
- Drill press, cord connected, grounded, Model PM2800B.
- Band saw, cord connected, grounded, 1/8"-1" blade. Model PM1500, rated 220-240 V, 60 Hz, 12 A, 3 hp.
- Band saw, cord connected, grounded 14 inch. Model JWBS-14SF, JWBS-14SF-3.
- 12 inch Wood Lathe, cord connected, grounded. Model JWL-1221VS, rated 120 V, 60 Hz, 6 A, 60-3600 rpm.

- Drill press, cord connected, grounded, Model PM2800B.
- Table Saw 10 inch grounded, Cord-connected, Model PM1000, Rated 115/230 V, 60 Hz, 15/7.5A, 4200 rpm.
- Grinder, 8 inch, cord connected, grounded, Model JWBG-8.
- Wood Lather, 10 inch, cord connected, grounded. Models JWL-1015, JWL-1015VS.

Class Description

Class Number	Description
3881-83	TOOLS-Stationary and Fixed-Electrical Tools-Certified to US Standards

COVERAGE:

Grounded and double insulated cord-connected and permanently connected bench type tools such as planer/jointers, table saws, radial arm saws.

REQUIREMENTS:

UL Standard 987	Stationary and Fixed Electric Tools
UL Standard 1624	Light Industrial Tools

MARKING:

- **submitter's identification;**
- **model designation or equivalent;**
- **complete electrical rating;**
- **double insulation symbol (where applicable);**
- **date code or equivalent;**
- **additional markings as may be required;**
- **CSA Monogram and "NRTL".**

Certification Record

Customer	Class	File Number
JPW Industries Inc. 427 New Sanford Rd, LaVergne TN 37086 USA.	<u>3881-83</u> TOOLS-Stationary and Fixed-Electrical Tools-Certified to US108026_0_000 Standards	

IN COMPLIANCE WITH APPLICABLE REQUIREMENTS OF UL 987-6TH EDITION:

- Wood Shaper, Model JWS-18HO, cord-connected, grounded, 115/230 V ac, 60 Hz, (NRTL/C status).
- Wood Lathe, cord-connected, grounded, Model JWL-1236, rated 120 V, 60 Hz, 8.0 A, 3000 RPM.
- 6 Inch Jointer, floor mounted, cord-connected, grounded, Model JJ-6CSX, 91012 rated 115/230 V, 60 Hz, 11/5.5 A, 4800 RPM or rated 115/230 V, 60 Hz, 13/6.5 A, 1 hp, 4800 RPM (pre-wired at 115 V).
- 13 Inch Auto Planer/Molder, cord-connected, grounded, floor mounted, Model JPM-13, 120 V ac, 60 Hz, 15 A or 240 V ac, 60 Hz, 7.5 A.
- 14 Inch Band Saw, cord-connected, grounded, floor mounted, Models JWBS-14CS and JWBS-14OS, 115 V ac, 60 Hz, 10 A or 240 V ac, 60 Hz, 5 A.
- 6 inch Jointer, floor mounted, cord-connected, grounded, Model JJ-60S, rated 115 V, 60 Hz, 9 A or 230 V, 4.5 A, 5200 RPM or rated 115/230 V, 60 Hz, 13/6.5 A, 1 hp, 4800 RPM.
- Wood Lathe, cord-connected, grounded, Models JML-1014 and JML-1014B, JML-1014I, rated 120 V, 60 Hz, 5 A.
- 10 inch table saw, cord-connected, grounded, floor mounted, Model JSL-10TS, JTS-10DD, rated 115 V, 60 Hz, 15 A, 3475 rpm.
- Band Saw, cord-connected, grounded, bench top, Model JSL-12BS, JWBS-12OS, rated 120 V, 60 Hz, 8 A, 1/2 hp.
- Belt/Disc Sander, cord-connected, grounded, Model JSG-6DC, rated 115/230 V, 60 Hz, 12.8/6.2 A, 1-1/2 hp, pre-wired for 115 V.
- 10 inch table saws, cord-connected, grounded, Models JTAS-10X-1, JTAS-10XL-1, rated 230 V, 60 Hz, single phase, 3 hp, 11.7 A, 4200 rpm, Models JTAS-10X-5/1, JTAS-10XL-5/1, rated 230 V, 60 Hz, single phase, 5 hp, 15.2 A, 4200 rpm; permanently connected, Models JTAS-10X3, JTAS-10XL-

3, rated 230 V, 60 Hz, 3 ph, 5 hp, 12.3 A, 4200 rpm or 460 V, 60 Hz, 3 ph, 5 hp, 6.6 A, 4200 rpm. Pre-wired at 230 V.

- Drum sander, cord-connected, grounded, floor type, Model PERFORMAX 16-32 PLUS, rated 120 V, 60 Hz, 14.5 A, 1800 rpm.
- Metal lathe, grounded, cord-connected, Model BD920W, rated 115 V, 60 Hz, 8.5 A or 230 V, 60 Hz, 4.25 A, 3/4 hp, 130-2000 r.p.m. Pre-wired to 115 V.
- 10 Inch Table Saw, Models JWTS-10, JWTS-10JF, JWTS-10CW2, 91010 cord-connected, grounded, 115/230 V ac, 60 Hz, 4000 RPM. Pre-wired to 115 V.
- Hollow Chisel Mortiser, cord-connected, grounded, Model 701, rated 115 V, 60 Hz, 7.8 A or 230 V, 60 Hz, 3.9 A, 3/4 hp, 1725 rpm. Pre-wired to 115 V.
- 10 inch table saw, cord-connected, grounded, Models JPS-10TS and 91009, rated 115/230 V, 60 Hz, 15/7.5 A, 1-3/4 hp, 3600 rpm. Pre-wired for 115 V.
- Band saw, grounded, cord-connected, Model PWBS14, 1/8"-3/4" blade, rated 115/230 V, 60 Hz, 13/6.5 A, with one 40 W/A max. light (for 115 V). Pre-wired for 115 V.
- Drum Sander, permanently connected, 230 V, 60 Hz, 23.7 A, 1700 rpm.

IN COMPLIANCE WITH UL STANDARD 987-7th EDITION.

- Band Saw, cord connected, grounded, Models JWBS-10OS, RBS250D.
- Drill Press, cord connected, grounded, Models JDP12, RDM1603BVC.
- Belt and disc sander, grounded, cord-connected, single phase, Model 31 A-1, rated 115 V, 60 Hz, 14 A or 230 V, 60 Hz, 7 A, 1.5 hp.
- Metal band saw, cord-connected, grounded, floor mounted, Model D9040-1, 1/8 - 1 inch blade, rated 115 V, 60 Hz, 15 A or 230 V, 60 Hz, 7.5 A, 1 hp, with a 115 V, 40W/A, work light.
- Hollow Chisel Mortiser, cord-connected, grounded, Models 719T and JFM-5, rated 115 V, 60 Hz, 11 A or 230 V, 60 Hz, 5.5 A, 1hp, 1725 rpm.
- Jointer planer combo, grounded, cord connected, models JJP-8BT, JJP-10BTOS, rated 120V, 60Hz, 13A, 9000 rpm.
- 9 inch cold saws, cord-connected, grounded, Models F225, J-F225, rated 115 V, 60 Hz, 1 Hp, 9.1 A, 60 rpm.
- 8 inch jointers, grounded, cord-connected or permanently connected, Models PJ-882-1, PJ-

882HH-1, 60C-1 and 60HH-1, rated 230 V, 60 Hz, 7.7 A, 2 hp, 7000 rpm.

- Band saw, grounded, cord-connected, Model JWBS-14DXPRO, 1/8"-3/4" blade, rated 115 V, 60 Hz, 12 A or 230 v, 60 Hz, 6 A.
- Metal/wood Belt and Disc sander, cord-connected, grounded, Models 4200A, 4200A-2, J-4200A, J-4200A-2, rated 115 V, 60 Hz, 12.6 A or 230 V, 60 Hz, 6.3 A, 1.5 hp.
- Metal/wood Belt sander, cord-connected, grounded, Models 4300A, J-4300A, rated 115 V, 60 Hz, 12.6 A or 230 V, 60 Hz, 6.3 A, 1.5 hp,
- Metal/wood Disc sander, cord-connected, grounded, Models 4400A, J-4400A, rated 115 V, 60 Hz, 12.6 A or 230 V, 60 Hz, 6.3 A, 1.5 hp.
- Metal/wood Belt sander and Metal Edge Mill, cord-connected, grounded, Models 4500, J-4500, rated 115 V, 60 Hz, 12.6 A or 230 V, 60 Hz, 6.3 A, 1.5 hp.
- Metal Edge Mill, cord-connected, grounded, Models 4505, J-4505, rated 115 V, 60 Hz, 12.6 A or 230 V, 60 Hz, 6.3 A, 1.5 hp.
- Drill Press, cord connected, grounded Models DP4300J, JDP-14MF, JDP-17DX, JDP-17MF, 91014, 2800.
- Metal/wood cutting band saw, grounded, cord-connected, Models 8201, J-8201, 8201VS, J-8201VS, rated 115 V, 60 Hz, 10 A or 230 V, 60 Hz, 5 A. Pre-wired to 115 V.
- Drill Press, cord-connected, grounded, Models A5816, J-A5816 and A5836, rated 115/230 V, 12/6 A, 60 Hz, 1 hp, 400 - 5000 rpm. Pre-wired for 115 V.
- 10 inch table saw, grounded, permanently connected, Model PM2000-1, rated 230 V, 60 Hz, 13A, 4300 rpm 3 hp, Model PM2000-5/1, rated 230 V, 60 Hz, 20 A, 4300 rpm, 5 hp.
- Drill press, cord connected, grounded, Model PM2800B.

IN COMPLIANCE WITH UL STANDARD 987-8th EDITION.

- Band saw, cord connected, grounded, 1/8"-1" blade. Model PM1500, rated 220-240 V, 60 Hz, 12 A, 3 hp.
- Bandsaw, cord connected, ground 14 inch. Model JWBS-14SF, JWBS-14SF-3.
- 12 inch Wood Lathe, cord connected, grounded. Model JWL-1221VS, rated 120 V, 60 Hz, 6 A, 60-3600 rpm.
- Drill press, cord connected, grounded, Model PM2800B.
- Table Saw 10 inch grounded, Cord-connected, Model PM1000, Rated 115/230 V, 60 Hz, 15/7.5A,

4200 rpm.

- Grinder, 8 inch, cord connected, grounded, Model JWBG-8.
- Wood Lathe, 10 inch, cord connected, grounded. Models JWL-1015, JWL-1015VS.